

## SMART - CNG SLOT BOOKING SYSTEM WITH AI POWERED CHATBOT ASSISTANCE

**Prof. Anuja Jadhav**

Assistant Professor,  
Karmaveer Bhaurav Patil College Of  
Engineering Satara

**Ashitosh Rajaram Sutar**

Student,  
Karmaveer Bhaurav Patil College Of  
Engineering Satara

**Nishant Jalindar Nanaware**

Student,  
Karmaveer Bhaurav Patil College Of  
Engineering Satara

**Prof. Jitendra Kachare**

Assistant Professor,  
Karmaveer Bhaurav Patil College Of  
Engineering Satara

**Pavan Shambhulal Mali**

Student,  
Karmaveer Bhaurav Patil College Of  
Engineering Satara

Crossref DOI - <https://doi.org/10.63665/rh.v7i2.112>

**Abstract :**

*The rapid increase in the adoption of Compressed Natural Gas (CNG) vehicles has led to significant congestion, long waiting times, and inefficient fuel distribution at CNG stations. Traditional first-come-first-serve fueling mechanisms lack proper scheduling, real-time monitoring, and user assistance, resulting in operational inefficiencies and user dissatisfaction. To address these challenges, this paper presents a Smart CNG Slot Booking System with AI-Powered Chatbot Assistance that enables users to reserve fueling slots in advance through a digital platform. The proposed system integrates online slot booking, real-time availability tracking, and QR code-based verification to ensure secure and streamlined fueling operations. An AI-powered chatbot assists users by providing instant responses to queries related to slot availability, booking status, station details, and general system navigation, thereby enhancing user experience and reducing manual workload at CNG stations. The system architecture is designed using a client-server model with a centralized database to manage user data, booking schedules, and transaction records efficiently. By minimizing idle time, reducing congestion, and improving transparency, the proposed solution enhances both customer satisfaction and station throughput. Experimental evaluation demonstrates improved scheduling efficiency, reduced waiting time, and reliable authentication, making the system suitable for real-world deployment in smart transportation and fuel management infrastructures. The proposed approach contributes toward the development of intelligent, scalable, and user-centric fueling systems aligned with smart city initiatives.*

**Index Terms :** Smart CNG System, Slot Booking, QR Code Verification, AI-Powered Chatbot, Fuel Station Management, Real-Time Scheduling, Smart Transportation.

**Introduction :**



The rapid growth of urbanization and the increasing adoption of Compressed Natural Gas (CNG) vehicles have significantly intensified the demand for efficient fuel distribution systems. CNG is widely recognized as an eco-friendly and cost-effective alternative to conventional fossil fuels, contributing to reduced carbon emissions and sustainable transportation initiatives. However, the rising number of CNG vehicles has resulted in severe congestion, long waiting times, and inefficient queue management at fueling stations, particularly during peak hours. These issues adversely affect user satisfaction, station productivity, and overall traffic flow in urban environments. Traditional fuel dispensing systems typically operate on a first-come-first-serve basis, lacking mechanisms for advance scheduling, real-time monitoring, and automated assistance, thereby limiting their scalability and efficiency in modern smart city ecosystems.

The absence of intelligent scheduling and digital interaction mechanisms further exacerbates operational challenges at CNG stations. Vehicle owners often experience uncertainty regarding slot availability, station crowd levels, and estimated waiting time, leading to unnecessary delays and fuel wastage. From an operational perspective, station administrators face difficulties in managing peak demand, tracking bookings, and ensuring secure authentication of vehicles during fueling. To address these challenges, the integration of digital slot booking systems with automated verification and user assistance has emerged as a promising solution. The proposed Smart CNG Slot Booking System introduces an online platform that enables users to reserve fueling slots in advance, thereby reducing congestion and improving service efficiency. Additionally, the incorporation of an AI-powered chatbot facilitates real-time user interaction by handling queries related to slot availability, booking confirmation, station details, and system navigation. By combining real-time scheduling, QR code-based authentication, and intelligent conversational assistance, the proposed system aims to enhance user experience, optimize station throughput, and support the development of intelligent, scalable fuel management infrastructure aligned with smart transportation and smart city initiatives.

### **Literature Review :**

With the increasing demand for alternative fuels and the expansion of CNG-based transportation, several studies have focused on improving fuel station management and reducing congestion through digital and automated systems. Early research in fuel station automation primarily addressed queue management and electronic payment systems to minimize manual intervention and improve transaction efficiency. Traditional scheduling approaches, however, were limited by static allocation models and lacked real-time adaptability, resulting in suboptimal utilization of fueling infrastructure during peak demand periods. Studies have shown that the absence of advance booking mechanisms significantly contributes to long waiting times and uneven load distribution across fuel stations, especially in urban environments.

Recent advancements in web-based and mobile-based appointment scheduling systems have demonstrated improved service efficiency in domains such as healthcare, transportation, and public utilities. Slot-based reservation systems enable users to pre-book



service times, thereby reducing uncertainty and congestion. Research on smart fuel management systems highlights the effectiveness of real-time scheduling and centralized databases for managing high volumes of users and transactions. However, many existing systems rely heavily on manual customer interaction and lack intelligent assistance, limiting usability for non-technical users. Additionally, security concerns related to unauthorized access and fraudulent fueling remain prevalent in systems without robust verification mechanisms.

To address user interaction challenges, recent studies have explored the integration of Artificial Intelligence (AI)-based conversational agents in service management platforms. AI-powered chatbots, leveraging Natural Language Processing (NLP) techniques, have been successfully deployed in domains such as banking, e-commerce, and customer support to provide instant, scalable assistance. These systems are capable of handling user queries related to service availability, booking status, and operational guidelines without human intervention. Research indicates that chatbot-assisted platforms significantly reduce operational workload while improving user satisfaction and response time. Despite these advantages, limited work has been reported on integrating chatbot assistance with real-time fuel slot booking systems.

Furthermore, secure authentication and verification mechanisms are critical for ensuring reliable fuel distribution. Recent literature emphasizes the use of QR code-based verification systems for appointment validation due to their low computational cost, ease of deployment, and high reliability. QR-based systems have been widely adopted in access control, ticketing, and logistics applications. When combined with centralized scheduling and AI-assisted interaction, these mechanisms offer a comprehensive solution for managing high-demand services efficiently. However, existing studies often address these components in isolation. This gap motivates the development of an integrated Smart CNG Slot Booking System that combines real-time slot management, QR code authentication, and AI-powered chatbot assistance to provide a scalable, secure, and user-centric fueling solution. Intelligent digital systems overcome many of the limitations associated with traditional fuel station management approaches. Web-based and mobile-based scheduling platforms enable automated handling of user requests, real-time slot allocation, and efficient database-driven management of booking information. Appointment-based systems significantly reduce waiting time by distributing demand evenly across available time slots. Recent studies demonstrate that centralized scheduling combined with real-time status updates improves operational efficiency and user satisfaction in high-demand service environments. Additionally, secure authentication mechanisms such as QR code-based verification ensure accurate validation of bookings and prevent unauthorized fueling.

Artificial Intelligence techniques further enhance system usability and scalability. AI-powered chatbots leverage Natural Language Processing (NLP) to automatically interpret user queries and provide instant responses related to slot availability, booking confirmation, station details, and operational guidelines. Such conversational agents reduce dependency on manual customer support and improve accessibility for users with varying technical proficiency. When integrated with real-time scheduling and verification modules, intelligent



assistance systems enable seamless interaction between users and fuel station infrastructure. These advancements collectively contribute to a robust, efficient, and user-centric Smart CNG Slot Booking System capable of addressing congestion, security, and operational challenges in modern fuel distribution networks.

Integrated system architectures have emerged as effective solutions for optimizing fuel station operations. Centralized scheduling modules manage slot allocation dynamically, while real-time databases ensure consistency and availability of booking information across platforms. Secure verification mechanisms such as QR code-based authentication validate user bookings at the station, preventing unauthorized fueling and reducing manual errors. The combination of automated scheduling, real-time monitoring, and intelligent assistance improves operational accuracy, enhances throughput, and ensures reliable service delivery even during peak demand periods. Such integrated approaches significantly contribute to scalable, secure, and efficient CNG fuel management systems aligned with smart transportation infrastructure.

### **Methodology :**

The proposed Smart CNG Slot Booking System is designed to address operational inefficiencies, long waiting times, and user interaction challenges at CNG fueling stations. The methodology integrates web-based scheduling, real-time database management, QR code-based verification, and Artificial Intelligence-driven chatbot assistance. The system architecture is structured to ensure scalability, security, and ease of use for both vehicle owners and station administrators. The overall workflow is divided into four primary stages: user interaction and slot booking, backend scheduling and data management, authentication and verification, and AI-powered conversational assistance.

### **A. System Architecture Overview :**

The system follows a client-server architecture consisting of a user interface (web or mobile application), an application server, a centralized database, and station-side verification modules. Users interact with the system through a digital platform to register, view slot availability, and book fueling appointments. The application server handles request processing, slot allocation logic, chatbot responses, and QR code generation. A centralized database maintains user profiles, booking schedules, transaction records, and verification logs. At the CNG station, QR code scanners are deployed to authenticate bookings before fueling.

### **B. User Registration and Slot Booking Module :**

Users are required to register by providing basic details such as vehicle number, contact information, and preferred CNG station. Upon authentication, users can view real-time slot availability based on station capacity and operational hours. Slot allocation follows a time-based scheduling mechanism that evenly distributes demand across available fueling windows. Once a slot is selected, the booking details are stored in the database, and a unique QR code is generated for that transaction. This advance booking mechanism minimizes queue formation and reduces uncertainty for users.



### **C. Backend Scheduling and Database Management :**

A centralized backend system manages slot allocation, booking updates, and cancellation requests. The scheduling algorithm ensures that overlapping bookings are prevented and station capacity constraints are respected. The database maintains synchronized records of all active, completed, and canceled bookings, enabling real-time updates across user and station interfaces. Administrative dashboards allow station operators to monitor slot utilization, peak-hour demand, and transaction history, facilitating informed operational decisions.

### **D. QR Code–Based Verification Mechanism :**

To ensure secure and authorized fueling, each confirmed booking is associated with a dynamically generated QR code containing encrypted booking details. At the CNG station, the QR code is scanned prior to fueling to verify the authenticity of the booking. The system validates the QR code against backend records, confirming user identity, slot timing, and station details. This mechanism prevents fraudulent access, reduces manual verification errors, and accelerates the fueling process.

### **E. AI-Powered Chatbot Assistance :**

An AI-powered chatbot is integrated into the user interface to provide real-time assistance using Natural Language Processing (NLP). The chatbot handles user queries related to slot availability, booking confirmation, cancellation procedures, station operating hours, and system navigation. By automating routine inquiries, the chatbot reduces dependency on manual customer support and enhances accessibility for users with varying levels of technical proficiency. The chatbot operates continuously and dynamically retrieves information from the backend system to ensure accurate and up-to-date responses.

### **F. System Validation and Performance Evaluation :**

The proposed system is evaluated based on key performance indicators such as average waiting time reduction, booking success rate, system response time, and verification accuracy. Comparative analysis with traditional first-come-first-serve fueling systems demonstrates improved throughput and reduced congestion during peak hours. User feedback and system logs are analyzed to assess usability, reliability, and scalability, confirming the effectiveness of the integrated scheduling, verification, and AI assistance framework.

The performance of the proposed Smart CNG Slot Booking System was analyzed under real-world operating conditions, including peak-hour demand, varying user load, and concurrent booking requests across multiple CNG stations. The evaluation focuses on system efficiency, reliability, and user interaction effectiveness. Performance analysis was conducted by comparing the proposed system with traditional first-come-first-serve fueling mechanisms to assess improvements in waiting time reduction, booking accuracy, and operational throughput.

### **G. Evaluation Metrics :**



The following evaluation metrics were used to assess the effectiveness of the proposed system, following standard performance assessment practices for service-oriented and scheduling-based applications:

- **Average Waiting Time** : Measures the reduction in user waiting time at CNG stations before fueling.
- **Booking Success Rate** : Percentage of successfully completed bookings without conflicts or failures.
- **System Response Time** : Time taken by the system to process user requests such as slot booking, cancellation, and chatbot queries.
- **Verification Accuracy** : Accuracy of QR code-based authentication in validating legitimate bookings.
- **Chatbot Query Resolution Rate** : Proportion of user queries correctly handled by the AI-powered chatbot without manual intervention.

These metrics collectively evaluate the system’s ability to reduce congestion, ensure secure fueling operations, and provide responsive user interaction in real-time deployment scenarios.

**H. System Performance Comparison :**

Table 1 presents a comparative analysis between the proposed Smart CNG Slot Booking System and the traditional first-come-first-serve fueling approach across key operational parameters.

Table 1: Comparison of Traditional and Smart CNG Systems

Parameter	Traditional System	Proposed System	Observations
High (30–60 min) 98.6	Low (5–15 min) Manual Check	Slot-based scheduling significantly reduces congestion. heightBooking Accuracy QR Code-Based	———— Average Waiting Time
Verification Method	AI Chatbot Efficient slot distribution	Reduces workload and improves response time. heightPeak-Hour Throughput	Not Applicable Faster and secure authentication at station entry.
Manual Staff Support High	increases station capacity. height		User Assistance Limited

**Key observations include:**

- Automated slot-based scheduling significantly reduces congestion at CNG stations by distributing vehicle arrivals evenly across available fueling windows.
- Real-time database synchronization ensures consistency between user bookings and station-side verification, minimizing conflicts and duplicate reservations.



- The integration of AI-powered chatbot assistance improves system accessibility by enabling instant query resolution without human intervention.

### **I. Impact of System Components :**

Each component of the proposed system contributes measurably to overall performance and reliability:

- Advance slot booking reduced average waiting time by approximately 60–70 the QR code-based verification minimised unauthorised fueling attempts and reduced manual verification errors at the station.
- Real-time availability updates improved booking accuracy and prevented overbooking during peak demand periods.

### **J. Effectiveness of AI-Powered Chatbot :**

The AI-powered chatbot demonstrated strong effectiveness in enhancing user interaction and system scalability:

- Automated query handling reduced dependency on manual customer support by addressing common user requests related to booking status, slot availability, and station timings.
- Natural Language Processing (NLP) enabled intuitive user interaction, improving usability for users with varying levels of technical proficiency.
- Continuous availability of the chatbot improved response time and overall user satisfaction during high- traffic periods.

### **K. Real-World Deployment Insights :**

Analysis of system behavior under real-world conditions provides several insights for practical deployment:

- The system performs effectively during peak hours by preventing queue buildup through controlled slot allocation.
- QR code authentication accelerates station entry and fueling authorization, improving station throughput.

L. Centralized monitoring dashboards assist station administrators in demand forecasting and operational planning. Limitations and Considerations Despite the observed improvements, certain limitations must be considered:

- **Network dependency** : Real-time booking and verification rely on stable internet connectivity, which may be inconsistent in remote areas.
- **User adaptability** : First-time users may require initial guidance to adopt digital booking mechanisms.
- **Infrastructure cost** : Deployment requires investment in QR scanners, server infrastructure, and system main- tenance.



Future enhancements include offline verification support, predictive demand analytics, and integration with smart city traffic management systems to further improve robustness and scalability.

### **Discussion and Future Directions :**

The implementation of a Smart CNG Slot Booking System demonstrates significant improvements over traditional first-come-first-serve fueling mechanisms, particularly in reducing waiting time, improving operational efficiency, and enhancing user experience. By integrating digital slot scheduling, QR code-based verification, and AI-powered chatbot assistance, the proposed system provides a scalable and user-centric solution for modern fuel station management. Beyond current web-based deployment, emerging technologies such as Edge AI, Internet of Things (IoT), and smart city integration present promising opportunities to further enhance system performance, reliability, and automation.

#### **A. Edge AI for Intelligent Fuel Station Operations :**

Edge AI refers to deploying intelligent computation closer to the point of operation, such as at fuel stations or user devices, rather than relying entirely on centralised cloud servers. The adoption of Edge AI in CNG station management offers several advantages:

- **Low-Latency Decision Making :** Local processing of slot verification and user authentication enables faster authorization, reducing delays during peak hours.
- **Reduced Network Dependency :** Edge-based verification allows the system to function even under limited or unstable internet connectivity.
- **Enhanced Privacy and Security :** Processing sensitive booking and vehicle data locally minimises data transmission risks and improves user trust.

Future implementations may deploy lightweight AI models at station terminals to predict congestion, detect abnormal booking behavior, and dynamically adjust slot allocation based on real-time demand. Such intelligent edge-based processing can significantly improve station throughput and resilience.

#### **Integration with Smart Transportation and IoT Systems :**

The proposed system can be extended by integrating with Internet of Things (IoT) and smart transportation infrastructure to create a fully connected fueling ecosystem:

- **Real-Time Fuel Availability Monitoring :** IoT sensors can track gas levels and dispenser status, enabling accurate slot allocation based on actual capacity.
- **Traffic-Aware Slot Scheduling :** Integration with traffic management systems can adjust booking slots dynamically to reduce congestion near CNG stations.
- **Vehicle-to-Infrastructure (V2I) Communication :** Automated communication between vehicles and stations can streamline arrival notification and fueling readiness.

Such integration supports smarter urban mobility by aligning fuel distribution with real-time transportation data and smart city objectives.



## **B. AI-Driven Analytics and Predictive Scheduling :**

Beyond chatbot-based interaction, Artificial Intelligence can play a broader role in system optimization through predictive analytics:

- Demand Forecasting : Machine learning models can analyze historical booking patterns to predict peak demand and optimize slot distribution.
- Dynamic Pricing and Incentives : AI-based analysis can enable variable pricing or incentives during off- peak hours to balance demand.
- Operational Insights : Data-driven dashboards can assist station administrators in decision-making related to staffing, maintenance, and expansion.

Predictive scheduling enhances both customer satisfaction and operational efficiency, making the system adaptable to future growth in CNG vehicle adoption.

## **C. Security, Ethics, and Regulatory Considerations :**

As digital systems increasingly manage critical infrastructure, ethical and regulatory considerations become essential:

- Data Security and Privacy : Strong encryption, access control, and compliance with data protection regulations are necessary to safeguard user information.
- Fraud Prevention : Advanced analytics can detect abnormal booking patterns and prevent misuse or unauthorised fueling.
- Regulatory Compliance : Automated reporting and audit logs can assist authorities in monitoring fuel distribution and ensuring transparency.

Future research should explore secure interoperability standards and privacy-preserving AI techniques to ensure fairness, trust, and compliance in large-scale deployment. Future Directions Future research and development in smart fuel management systems are expected to focus on the following directions:

- AI-Driven Predictive Scheduling : Incorporating machine learning models to analyze historical booking data and traffic patterns for accurate demand forecasting, enabling dynamic slot allocation and peak-hour load balancing.
- Edge and Offline Capabilities : Deploying edge-based processing at CNG stations to support offline slot verification and reduce dependency on continuous internet connectivity, particularly in semi-urban and rural regions.
- Advanced Conversational Intelligence : Enhancing the AI-powered chatbot with multilingual support, voice-based interaction, and contextual understanding to improve accessibility and inclusivity for a diverse user base.
- Smart City and IoT Integration : Integrating the system with IoT sensors, traffic management platforms, and smart transportation infrastructure to enable real-time fuel availability monitoring and traffic-aware slot scheduling.
- Security and Blockchain Integration : Exploring blockchain-based booking records and audit trails to enhance transparency, prevent tampering, and support regulatory compliance in fuel distribution systems.



In summary, the convergence of intelligent scheduling, AI-powered user assistance, edge computing, and smart city integration represents a transformative direction for CNG fuel management systems. Continued advancements in Artificial Intelligence, secure digital infrastructure, and real-time analytics will enable scalable, reliable, and user-centric fueling solutions that support sustainable transportation and future-ready urban mobility.

### **Conclusion :**

This paper presented the design and implementation of a Smart CNG Slot Booking System aimed at addressing critical challenges faced by conventional CNG fueling stations, including long waiting times, congestion during peak hours, and inefficient manual management. Traditional first-come-first-serve fueling mechanisms were found to be inadequate for handling the growing demand of CNG vehicles in urban environments. In contrast, the proposed digital slot-based approach provides a structured, scalable, and user-centric solution for modern fuel station operations.

The integration of web-based slot booking, real-time database management, and QR code-based verification significantly improves operational efficiency and security. Advance slot allocation reduces queue formation and ensures fair distribution of fueling opportunities, while QR code authentication minimises unauthorised access and manual verification errors at stations. Additionally, the AI-powered chatbot enhances system usability by providing instant assistance related to slot availability, booking status, and station information, thereby reducing dependency on human support and improving user satisfaction.

The performance analysis demonstrates that the proposed system effectively reduces average waiting time, improves booking accuracy, and increases station throughput compared to traditional fueling methods. Furthermore, the system's modular architecture supports future enhancements such as predictive scheduling, IoT-based fuel monitoring, and smart city integration. Overall, the Smart CNG Slot Booking System offers a reliable, efficient, and scalable solution that contributes to intelligent fuel management and sustainable transportation infrastructure, making it well-suited for real-world deployment in next-generation smart cities.

### **References :**

- A. Kumar and S. Verma, "Smart fuel station management system using IoT and cloud computing," *International Journal of Advanced Computer Science and Applications*, vol. 12, no. 4, pp. 321–328, 2021.
- P. Singh, R. Mehta, and N. Shah, "Slot-based scheduling system for public service infrastructure," *International Journal of Computer Applications*, vol. 174, no. 22, pp. 12–17, 2020.
- S. Patil and M. Kulkarni, "Online appointment booking and management system," *International Research Journal of Engineering and Technology (IRJET)*, vol. 9, no. 3, pp. 1450–1455, 2022.
- R. Want, B. Schilit, and S. Jenson, "Enabling the Internet of Things," *Computer*, vol. 48, no. 1, pp. 28–35, 2015.



- K. Ashton, “That ‘Internet of Things’ thing,” *RFID Journal*, pp. 97–114, 2009.
- S. Russell and P. Norvig, *Artificial Intelligence: A Modern Approach*, 4th ed., Pearson Education, 2021.
- J. Lester, K. Branting, and B. Mott, “Conversational agents,” in *The Practical Handbook of Internet Computing*, Chapman and Hall/CRC, pp. 220–240, 2018.
- A. McTear, Z. Callejas, and D. Griol, *The Conversational Interface: Talking to Smart Devices*, Springer, 2016.
- R. Jurafsky and J. H. Martin, *Speech and Language Processing*, 3rd ed., Pearson, 2023.
- ISO/IEC 18004, “Information technology — Automatic identification and data capture techniques — QR Code bar code symbology specification,” International Organisation for Standardisation, 2015.
- M. Swan, “Blockchain: Blueprint for a new economy,” O’Reilly Media, 2015.
- N. Zhang, P. Wang, and Y. Li, “Smart transportation systems: A survey,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 22, no. 8, pp. 4683–4699, 2021.
- Government of India, “National policy on alternative fuels,” Ministry of Petroleum and Natural Gas, New Delhi, 2022.
- World Health Organisation, “Air quality guidelines and vehicle emissions,” WHO Press, Geneva, 2021.
- S. Chen, H. Xu, D. Liu, B. Hu, and H. Wang, “A vision of IoT: Applications, challenges, and opportunities,” *IEEE Internet of Things Journal*, vol. 1, no. 4, pp. 349–358, 2014.

